


Kalstein A different accompaniment, at your service

LABORATORY LINES VORTEX MIXER





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S





OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



Vortex Mixer

Model YR05007-2.





Features

- 1. Speed up to 2800RPM.
- 2. Eccentric ball shaft design, convenient installation of vibrating head.
- 3.Soft silicone pad prevents the instrument from moving at high speed. Small in shape and shock-proof, it is suitable for high-speed operation.
- 4. Small size, low power consumption and low noise.
- 5.The body adopts enhanced engineering plastic molding technology, no paint spraying, acid and alkali resistance and collision resistance.
- 6.The working surfaces are all corrosion resistant, wear-resistant and safe TPU materials, changing the characteristics of the original sponge surfaces that are easy to be damaged.
- 7. The instrument can operate continuously, touching operating and speed is adjustable.
- 8. Wide choice of platform for different experiment requries.

Specifications

| Model | YR05007-2 | YR05007-3 | |
|------------------|---------------------|---------------------|--|
| Voltage | 110-120V/220-230V | 110-120V/220-230V | |
| Power | 60W | 60W | |
| Shaking Method | Circle | Circle | |
| Shaking Diameter | 4mm | 4mm | |
| Motor Input | 58W | 58W | |
| Motor Output | 10W | 10W | |
| Speed | 2800rpm | 1 to 2800rpm | |
| Operation Mode | Touching/Continuing | Touching/Continuing | |
| Size | 127*130*160 | 127*130*160 | |
| Weight | 3.5kg | 3.5kg | |
| Working Temp. | 5-40°C | 5-40°C | |
| Working Humidity | 80% | 80% | |
| Protection Class | IP21 | IP21 | |



#Letsgivemore 💗



Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



Vortex Mixer

Model YR05007-2.





Specifications for spareparts

| opening in opinio | | | | |
|--|----------------|--|------------|--|
| Standard configuration | Standard head | Standard head, used for less than 30mm test tube | | |
| Optional spare parts for Vortex-1 and Vortex-2 | hand-held pole | hand-held pole used with test tube adapter | | |
| | 48holes/6mm | 48 hole test tube adapter, used with hand-held pole, for 6mm test tube | | |
| | 15holes/10mm | 15 hole test tube adapter, used with hand-held pole, for 10mm test tube. | | |
| | 12holes/12mm | 12 hole test tube adapter, used with hand-held pole, for 12mm test tube | | |
| | 8holes/16mm | 8 hole test tube adapter, used with hand-held pole, for 16mm test tube | | |
| | 8holes/20mm | 8 hole test tube adapter, used with hand-held pole, for 20mm test tube | 333 | |
| Optional spare parts for Vortex-2 | Flat gasket | Flat gasket, used with ϕ 100 universal head, used for \leq 99mm test tube | | |
| | φ 100mm | universal head, 100mm | | |



#Letsgivemore 💗

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



Solidarité et coopération biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT? Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/



(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

